















































# BEARING SELECTION

INCH SIZES			SELECTIONS				
Bore-B (mm)	O.D.-D (mm)	Width-W (mm)	Features	Radial Bearings			Angular Contact Bearings
0.125 (3.175)	0.250 (6.350)	0.0937 (2.380)	Smooth	 DR02A	 DR02B	 DR73B	 DA02A
			Flanged	 DR13A	 DR13B	 DA13A	
			Groove	 DR21A	 DR21B	 DR21H	 DA21J
		0.1094 (2.779)	Smooth	 DR55A	 DR55B	 DR55F	 DA55B
			Flanged	 DR01B	 DR01E	 DA01B	
			Groove	 DR70B	 DR70K	 DA70B	
			Unique	 DR56B	 DR54B	 DA54B	

# GUIDE - INCH SIZES

INCH SIZES			SELECTIONS			
Bore-B (mm)	O.D.-D (mm)	Width-W (mm)	Features	Radial Bearings	Angular Contact Bearings	
0.0937 (2.380)	0.1875 (4.763)	0.0625 (1.588)	Smooth	 DR04A		
		0.0937 (2.380)	Smooth	 DR05B	 DR05E	
			Flanged	 DR03B		
0.125 (3.175)	0.250 (6.350)	0.0752 (1.910)	Smooth	 DR74A		
	0.3125 (7.938)	0.1094 (2.779)	Smooth	 DR08A		
		0.1406 (3.571)	Smooth	 DR09B  DR09C  DR09D  DR09F  DA09B		

# METRIC SIZES

METRIC SIZES			SELECTIONS			
Bore-B (inch)	O.D.-D (inch)	Width-W (inch)	Features	Radial Bearings	Angular Contact Bearings	
2.35 (.0925)	5 (.1969)	1.5 (.059)	Smooth	 DR30A		
	5.5 (.2165)	2 (.0787)	Smooth	 DR83A		
3 (.1181)	7 (.2756)	2 (.0787)	Smooth	 DR31A		
			Flanged	 DR97A		
	2.5 (.0984)	Flanged	 DR69A	 DR69B	 DA69A	
4 (.1575)	7 (.2756)	2 (.0787)	Smooth	 DR32A	 DR32B	 DA32A
	9 (.3543)	2.5 (.0984)	Smooth	 DR67A		